

No. AJFS1908007509FF Date: AUG.14, 2019

Page 1 of 6

ZIBO DINGTIAN PLASTICS CO., L TD

NO.6 XINWEI ROAD ECONOMIC DEVELOPMENT ZONE OF ZICHUAN, ZIBO, CHINA

The following sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion. results apply to the sample as received. **Sample Name:** PVC FOAM BOARD

SGS Ref No.: QDIN1907004100SC Product Specification: 1220×2440mm Style/Item No.: /

Material: PVC

Test Requested:

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements—Part 1: Classification using data from reaction to fire tests, Class B

Test Results: -- See attached sheet --

Test Period:

Sample Receiving Date: AUG.01, 2019Test Performing Date: AUG.01, 2019 TO AUG.09, 2019

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

Allen Zou Lab Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/ant/ferms-and-Conditions.agox and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/ant/ferms-and-Conditions.agox and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any, The Company's sole responsibility is to its Client and this document does not exoncate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018825 g www.sgsgroup.com.cn 中国・浙江 - 安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018825 g e sgs.china@sgs.com



No. AJFS1908007509FF Date: AUG.14, 2019 Page 2 of 6

I. Test conducted

This test is conducted as per EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests. And the test methods as following:

- 1. EN 13823:2010+A1:2014 Reaction to fire tests for building products Building products excluding floorings exposed to the thermal attack by a single burning item.
- EN ISO 11925-2:2010+Corl:2011 Reaction to fire tests Ignitability of building products subjected to direct impingement of flame — Part 2: Single-flame source test.

II. Details of classified product

a) Nature and end use application

The product "PVC FOAM BOARD" is defined as a decorative sheet. It's classification is valid for the following end use application "Printing, Cabinet, door marking, construction formwork etc.

b) Description

The details of the product given above have been prepared from information provided by the sponsor of the test.

Description	PVC FOAM BOARD
Color	White
Thickness	About 17.1mm
Mass per unit area	668 kg/m ³

Mounting and fixing:

Calcium silicate board, with its density approximate 900kg/m³, thickness approximate 9mm, is as the backing board. The test specimens are fixed mechanically to the trolley a distance of 90mm from the backing board. No joint in the long wing of the specimen.

III. Test results

Test method	Parameter	Parameter Number of tests	
	FIGRA _{0.2MJ} (W/s)		0.0
	FIGRA _{0.4MJ} (W/s)		0.0
	LFS < edge of specimen		No
EN 13823	THR _{600s} (MJ)	3	0.9
	SMOGRA (m ² /s ²)		3.9
	TSP _{600s} (m ²)		15.7
	Flaming particles or droplets		No

To be continued...



Unless other Wise agreed in writing, this document is issued by the Company subject to its central coholicions or Service printed overleaf, available on request or accessible at http://www.ags.com/en/ferms-and-Conditions.apg.and, for electronic Document.asp. subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/ferms-and-Conditions.terms-e-Document.asp. Attention is document is a subject to Terms and Conditions aspect and therein. Any holder of this document is compared available on request and the subject and any the transaction of course to the resonant of the content of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Hatention: Concerket headthenticity of testing / inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.or email: CN.Doccheck@egs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国 •浙江 •安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report	No. AJFS1908007	'509FF	Date: AUG.1	4, 2019	Page 3 of 6
Test method	Parameter	Specimen number Resu		Results	
EN ISO 11925-2	Whether vertical flame spread (Fs) in excess of 150 mm		6 No		No
Exposure = 30 s	Ignition of the filter paper	0			No

IV. Classification and direct field of application

This classification has been carried out in accordance with EN 13501-1:2007+A1:2009.

a) Classification

The product, PVC FOAM BOARD, classification is as following,

Fire behaviour		Smoke production			Flaming	Flaming droplets	
В		s	1	,	d	0	

Reaction to fire classification: B-s1, d0

Remark: The classes with their corresponding fire performance are given in annex A.

b) Field of application

This classification for the submitted sample is valid for the following end use condition:

- ---- With mechanically fixing
- --- No joint
- --- Free standing.

This classification is valid for the following product parameters:

---Characteristics of various layers identical to those as described in § II b) of this test reports.

Statement:

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

To be continued...



overieaf, available of request or accessible at http://www.sgs.com/en/Terms-and-Cofidlions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document does not exonerate parties to except in full, without prior within approval of the Company's findings at the time of its intervention only and within the limits of results shown in this test report refer only to the sample(s) tested and south sample(s) are retained for 30 days only. Attention: Ch. Doccheck@egs.com No. 301, Sunight Road, 2 Blod; Sunight Industry Zone, Anji County, Zhejiang Prwince, China 313300 t (%-572) 5018825 f (%-572) 5018829 www.segsgroup.com.cn

中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No. AJFS1908007509FF Date: AUG.14, 2019 Page 4 of 6

Warning:

This classification report does not represent type approval or certification of the product.

The test laboratory has, therefore, play no part in sampling the product for the test, although it holds appropriate references to the manufacturer's factory production control that is aimed to be relevant to the samples tested and that will provide for their traceability.

Annex A

Classes of reaction to fire performance for construction products excluding floorings and linear pipe thermal insulation products

Class	Test method(s)	Classification criteria	Additional classification	
	EN ISO 1182 ^a and		<i>△ T</i> ≤30 [°] C, and <i>△ m</i> ≤50%, and t _i =0(i.e. no sustained flaming)	-	
A1	EN ISO 1716		$PCS \le 2.0 MJ/kg^{a}$ and $PCS \le 2.0 MJ/kg^{bc}$ and $PCS \le 1.4 MJ/m^{2d}$ and $PCS \le 2.0 MJ/kg^{e}$	-	
	EN ISO 1182 ª or		<i>∆</i> T≤50°C, and <i>∆ m</i> ≤50%, and t _f ≤20 s	-	
A2	EN ISO 1716	and	PCS≤3.0MJ/kg ^a and PCS≤4.0MJ/m ² ^b and PCS≤4.0MJ/m ² ^d and PCS≤3.0MJ/kg ^e and	-	
	EN 13823		<i>FIGRA</i> ≤120W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤7.5MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g	
В	EN 13823 and EN ISO 11925-2 ⁺ Exposure =30s		<i>FIGRA</i> ≤120W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤7.5MJ</edge>	Smoke production ^f and	
			within 60s <i>F</i> s≤150mm		
С	EN 13823 and EN ISO 11925-2 ⁺ Exposure=30s		<i>FIGRA</i> ≤250W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>600s≤15MJ</edge>	Smoke production ^f and	
			<i>F</i> s≤150mm within 60 s	Flaming droplets/particles ^g	
D	EN 13823	and	<i>FIGRA</i> ≤750W/s	- Smoke production ^f and	
	EN ISO 11925-2 ⁱ Exposure=30s		<i>F</i> s≤150mm within 60 s	Flaming droplets/particles ^g	
E	EN ISO 11925-2 ⁱ Exposure =15s		<i>F</i> s≤150mm within 20 s	flaming droplets/particles h	
				To be continued	

To be continued...



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgc.om/en/Terms-and-Conditions appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgc.om/en/Terms-and-Conditions/Terms-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company & Indings at the time of its intervention only and within the limits of transaction from axercising all their rights and obligations under the transaction documents. This document is except in full, without prior written approval of the Company. Any nuarthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@gs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (85-572) 5018825 f (85-572) 5018825 g www.sgsgroup.com.cn 中国・浙江・安吉县阳光工业园二区阳光大道301号 邮编:313300 t (85-572) 5018825 f (85-572) 5018825 g e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



	Test Report	No. AJFS1908007509FF	Date: AUG.14, 2019	Page 5 of 6	
F	No performance determined				
 ^a For homogeneous products and substantial components of non-homogeneous products. ^b For any external non-substantial component of non-homogeneous products. ^c Alternatively, any external non-substantial component having a PCS ≤ 2,0 MJ/m², provided that the product satisfies the following criteria of EN 13823: FIGRA ≤ 20 W/s, and LFS < edge of specimen, and THR_{600s} ≤ 4,0 MJ, and s1, and d0. ^d For any internal non-substantial component of non-homogeneous products. ^e For the product as a whole. ^f In the last phase of the development of the test procedure, modifications of the smoke measurement system have been introduced, the effect of which needs further investigation. This may result in a modification of the 					
s1 = S s2	$MOGRA \leq 30m^2/s^2$ and TSP_{600}	e evaluation of the smoke prod $p_s \le 50m^2$; s2 = SMOGRA ≤ 18		m²; s3 = not s1 or	
d1 = n d2 = n Ignitio ^h Pass = Fail =	not d0 or d1. n of the paper in EN ISO 1192 = no ignition of the paper (no c ignition of the paper (d2 classi	ersisting longer than 10 s in EN 5-2 results in a d2 classification classification); fication).	n.		
	conditions of surface flame atl attack.	tack and, if appropriate to the e	nd-use application of the	product, edge	

To be continued...

mptp
XX 第5日报公司~
ALL ALL
检验检测专用章
Station & Testing Services
Sec.
SGS-CSTC Sectoria Technical SPULA Co., Ltd.
Anji Branch Hardines
All Dianch naturnes

No. 301, Smithi Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018825 g www.sgsgroup.com.cn 中国・浙江・安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018825 g e sgs.china@sgs.com




No. AJFS1908007509FF

Date: AUG.14, 2019

Page 6 of 6

Photo Appendix:



SGS authenticate the photo on original report only ***End of Report***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u> agr and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. Terms-and-Conditions Jerms-and-Conditions for Electronic Document is a divective was accoment. Terms-and-Conditions for Electronic Document is a divective was comined in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443. or email: CN DoccheckBase.com

No. 301, Sunjight Road, 2 Block, Sunjight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018825 g (86-572) 5018825 f (86-572) 5018825 g e sgs.china@sgs.com